

ZK750

High brightness professional 4K UHD laser projection



© Nordic Amusement Group

- 7,000 lumen 4K UHD DLP laser projector
- Five optional lenses
- Dust resistant – Independently tested, IP6X certified for total reliability
- Pure engine video processing, Integrated edge-blending, warping and colour matching

Specifications

The following specifications are preliminary and subject to change without notice

Display/image

Display technology	DLP
Resolution	UHD (3840x2160)
Brightness	7,000 lumens
ANSI brightness	7,000 lumens
Contrast ratio	5,000:1
ANSI contrast ratio	250
Contrast ratio - dynamic	2,000,000:1
Contrast ratio - full on/off	1,000:1
Native aspect ratio	16:9
Screen size	Dependent on lens

Lamp info

Light source type	DuraCore MultiColor Laser
LASER life	20,000 hours

Optical

Throw ratio	Dependent on lens
Projection distance (m)	Dependent on lens
Lens options	A26 1.20~1.73 , A20 1.70~2.12, A21 2.12~2.83, A22 2.83~5.66, A23 5.66~10.18

Connectivity

Connections	Inputs 2 x HDMI 2.0, 1 x DisplayPort, 1 x HDBaseT, 1 x 3G-SDI, 1 x 3D sync, 1 x Wired remote Outputs 1 x HDMI, 1 x 3D sync, 1 x Wired remote Control 1 x RS232, 1 x 12V trigger, 1 x USB-A service, 1 x RJ45
-------------	---

General

Noise level (typical)	36dB
3D	Full 3D
Security	Security bar
OSD / display languages	11 languages: Dutch, English, French, German, Indonesian, Italian, Japanese, Portuguese, Russian, Chinese (simplified), Spanish
24/7 operation	Yes
360° operation	Yes
Remote control	Backlit ProAV remote
Heat dissipation	3,224BTU/hour
In the box	TBC

Networking

LAN - control	Yes
LAN - wireless networking	No
LAN	Yes

Power

Power supply	AC 100 – 240 V @ 50/60 Hz
Power consumption (standby)	0.5W
Power consumption (min)	530W
Power consumption (max)	1,035W

Weight and dimensions

Net weight	33kg
Dimensions (W x D x H) mm	600 x 520 x 219



<http://www.optoma-center.at/>